

G5

L1

D01	D02	D11	D12	D13	D14	W51
-----	-----	-----	-----	-----	-----	-----

KWT - KW2

Q4 **K3** **Q5** **K4** **Q6** **K5**

F2 **Q2** **Q3** **K2** **8 9 10 11 12 13** **AP1**


Terminal blocks with green and yellow wire bundles.

131

MOELLER 

 **POWER**
 **ALARM**
 **RUN**

Falow4



U_e , 50/60Hz
3AC 400-480V, 5A

DV51-340-1K5

3AC 0... U_e , 3.8A

1.5kW (400V)
2HP (460V)



WARNUNG! Gefährliche Spannung
Entladezeit 5 min.
WARNING! Dangerous Voltage
Discharge time 5 min.

MOELLER

POWER ALARM RUN

Falow3

U_e NENEN
3AC 400-480V, 5A

DV51-340-1K5

3AC 0...U_e, 3.8A

1.5kW (400V)
2HP (460V)

WARNING! Capacitive Discharge
Electrolytic 5 min.
WARNING! Dangerous Voltage
Discharge time 5 min.

MOELLER

POWER ALARM RUN

Falow3

U_e 50/60Hz
3AC 400-480V, 5A

DV51-340-1K5

3AC 0...U_e, 3.8A

1.5kW (400V)
2HP (460V)

WARNING! Capacitive Discharge
Electrolytic 5 min.
WARNING! Dangerous Voltage
Discharge time 5 min.

