



Scena zewnętrzna 1 / Oprawy (lista współrzędnych)


PHILIPS BGP303 T25 1 x LED54-4S/740 DW10
4752 lm, 37.0 W, 1 x 1 x LED54-4S/740 (Czynnik korekcyjny 1.000).

Nr.	Pozycja [m]		Rotacja [°]		Z
	X	Y	X	Y	Z
1	74.028	57.006	0.0	0.0	626
2	74.616	55.591	0.0	0.0	1626
3	57.410	47.360	0.0	0.0	60.9
4	58.798	46.016	0.0	0.0	-149.1
5	45.074	38.729	0.0	0.0	60.9
6	46.462	37.385	0.0	0.0	-149.1
7	32.905	29.986	0.0	0.0	60.9
8	34.292	28.642	0.0	0.0	-149.1
9	20.652	21.501	0.0	0.0	60.9
10	22.039	20.156	0.0	0.0	-149.1
11	8.254	13.103	0.0	0.0	60.9
12	9.641	11.758	0.0	0.0	-149.1
13	3.402	1.074	0.0	0.0	10.0
14	24.383	5.119	0.0	0.0	10.0
15	43.951	4.845	0.0	0.0	-28.8
16	69.686	13.077	0.0	0.0	10.0
17	66.051	31.588	0.0	0.0	30.0
18	65.686	30.222	0.0	0.0	120.0
19	52.471	19.118	0.0	0.0	30.2
20	52.479	17.386	0.0	0.0	150.2
21	75.209	42.697	0.0	0.0	77.5

Scena zewnętrzna 1 / Przystań / Powierzchnia 1 / Izolinie (E)



Wartości Lux, Skala 1 : 567

Polożenie powierzchni w scenie
zewnętrznej:
Zaznaczony punkt:
(75.536 m, 57.027 m, 0.000 m)

Siatka: 96 x 45 Punkty

 E_m [lx] 24
 E_{min} [lx] 8.17 E_{max} [lx] 37 E_{min} / E_m 0.338 E_{min} / E_{max} 0.222